

TEST REPORT


Report Ref.	LEI19014154A Original		
Date Received	24/01/2019	Date Issued	01/02/2019

Company Name & Address	Fashion Formula Ltd Drakeglen House, 35-36 Disraeli Rd London, NW10 7AX GBR
Contact Name	Alexander Wills

Order Number	Jan
Sample Description	Printed Fabric
Colour	Multi colour
Quality	Optic Organic Cotton
Supplier	Fashion Formula
Batch Number	1 Sample
Quoted Fibre Composition	100% Cotton
Retailer	General

Test	Method	Sample	Result
Migration of Toxic Elements	EN 71-3	White Woven Panel with Multicolour Prin	Pass

Tests marked (^) in this report have been performed by an approved 3rd party laboratory.
Tests marked (*) in this report are not included in our UKAS scope of accreditation.



Matthew Gill
(Specialist Team Leader)

Migration of Toxic Elements EN 71-3

Sample: White Woven Panel with Multicolour Prin

	Result in mg/kg	Limit in mg/kg
Sample: White Woven Panel with Multicolour Print		
Aluminium (Al)	ND	0.125 ppm
Antimony (Sb)	ND	0.125 ppm
Arsenic (As)	ND	0.125 ppm
Barium (Ba)	ND	0.125 ppm
Boron (B)	ND	0.125 ppm
Cadmium (Cd)	ND	0.125 ppm
Chromium (III) (Cr III)	ND	0.004 ppm
Chromium (VI) (Cr VI)	ND	0.125 ppm
Cobalt (Co)	ND	0.125 ppm
Copper (Cu)	ND	0.125 ppm
Lead (Pb)	ND	0.125 ppm
Manganese (Mn)	ND	0.125 ppm
Mercury (Hg)	ND	0.0125 ppm
Nickel (Ni)	ND	0.125 ppm
Selenium (Se)	ND	0.125 ppm
Strontium (Sr)	ND	0.125 ppm
Tin (Sn)	ND	0.125 ppm
Organic Tin	ND	0.2 ppm
Zinc (Zn)	ND	0.125 ppm
Remark:	mg/kg = milligram per kilogram	
	- Unless the test results were marked with # or Δ, Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.	
	- The new lead migration limit 2.0mg/kg for Category (I), 0.5mg/kg for Category (II) and 23 mg/kg for Category (III) was quoted from directive (EU) 2017/738 amending 2009/48/EC effective from 28 October 2018	
	- Organic tin test result was expressed as tributyl tin	

Overall Test Result: Pass
Uncertainty: ±9%

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or willful misconduct.

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor of $k = 2$, providing a level of confidence of approximately 95 %. Any Pass/Fail statements do not take into account the Measurement of Uncertainty. The Uncertainty budgets are stated for each Test method, these are for reference, and should be considered when results are close to Specification Limits / Requirements.

